



TOUCHdesign Pixel

3D Square Embossing

The three-dimensional square embossing TOUCHdesign Pixel divides the surface of canopy ceilings in a defined grid. This creates a varied appearance. In combination with the deep matt powder coating MOODline as well as perforations and acoustic inlays, the surface meets the highest demands on design and acoustics. Omitting individual squares offers you the possibility to integrate fixtures in the canopy ceiling, e.g. spots

- three-dimensional surface due to embossed steel in grid optics
- omitting squares enables the integration of fixtures, e.g. spots
- elegant appearance thanks to the deep matt powder coating MOODline
- equipped with perforations and acoustic inlays, the surface combines acoustics and design
- execution as single canopy with 90°-turn-up



Technical data

Substrate	steel
Recommended perforations	<u>REGULARline</u> Rg 0,8 - 5
Coating	<u>MOODline</u>

Acoustics

Room acoustics

Room acoustics	equipped with acoustic inlays, perforated surfaces achieve high sound absorption values
----------------	---

Fire protection

Building material class

Building material class	DIN EN 13501-1	A2 - s1, d0
Building material class	ASTM E 84	Class A

Durability




Exposure class	DIN EN 13964	A
----------------	--------------	---



Combinable with

<p>Metal ceilings</p>	<p><u>LMD-DS 320</u></p> <p>prerequisite: panel length: 600 - 3,000 mm grid panel length: 50 mm panel width: 600 - 1,250 mm grid panel width: 50 mm</p>
-----------------------	---

Applications





Project solutions

This product data sheet refers to the standard version of the product mentioned above. We would be happy to work with you to find the right solution for your project. Adapted to your building project, you will receive a perfectly matched system. Project-specific constructions and adaptations can be found in the offer documents.